

Message

---

**From:** Bordelon, David [David.Bordelon@WestonSolutions.com]  
**Sent:** 3/7/2019 8:53:27 PM  
**To:** Fife, Greg [fife.greg@epa.gov]  
**Subject:** RE: NOLA / ARS files or reports  
**Attachments:** ATT00001.txt

Guess she forgot to include me. She was very eager to keep ARS involved. I'll give them a call to see what data they have.



**David Bordelon**  
**Weston Solutions, Inc.**  
13702 Coursey Blvd, Bldg 7  
Baton Rouge, LA 70817  
(225) 297-5403 Direct  
(225) 772-7921 Cell  
[David.Bordelon@westonsolutions.com](mailto:David.Bordelon@westonsolutions.com)

---

**From:** Fife, Greg [mailto:fife.greg@epa.gov]  
**Sent:** Thursday, March 7, 2019 2:06 PM  
**To:** Bordelon, David <David.Bordelon@WestonSolutions.com>  
**Subject:** RE: NOLA / ARS files or reports

**\*\* External Email \*\***

Yes, I have. See the other email that I forwarded to you.

---

**From:** Bordelon, David <[David.Bordelon@WestonSolutions.com](mailto:David.Bordelon@WestonSolutions.com)>  
**Sent:** Thursday, March 7, 2019 2:04 PM  
**To:** Fife, Greg <[fife.greg@epa.gov](mailto:fife.greg@epa.gov)>  
**Subject:** RE: NOLA / ARS files or reports

Spoke with Cheryn Robles with City of New Orleans. She said she was going to be sending an email to ARS and LDEQ stating that EPA was involved and to please release information to us. I haven't seen it come through yet. She was going to address to you. Have you seen anything?



**David Bordelon**

**Weston Solutions, Inc.**  
13702 Coursey Blvd, Bldg 7  
Baton Rouge, LA 70817  
(225) 297-5403 Direct  
(225) 772-7921 Cell  
[David.Bordelon@westonsolutions.com](mailto:David.Bordelon@westonsolutions.com)

---

**From:** Fife, Greg [<mailto:fife.greg@epa.gov>]  
**Sent:** Wednesday, March 6, 2019 2:07 PM  
**To:** Bordelon, David <[David.Bordelon@WestonSolutions.com](mailto:David.Bordelon@WestonSolutions.com)>  
**Subject:** RE: NOLA / ARS files or reports

**\*\* External Email \*\***

I like it. thanks

---

**From:** Bordelon, David <[David.Bordelon@WestonSolutions.com](mailto:David.Bordelon@WestonSolutions.com)>  
**Sent:** Wednesday, March 6, 2019 2:05 PM  
**To:** Fife, Greg <[fife.greg@epa.gov](mailto:fife.greg@epa.gov)>  
**Cc:** Brozowski, George <[brozowski.george@epa.gov](mailto:brozowski.george@epa.gov)>; Poppell, Sam W. <[Poppell.Sam@epa.gov](mailto:Poppell.Sam@epa.gov)>  
**Subject:** RE: NOLA / ARS files or reports

I will try the city again now and follow up with an email. I think they will be happy to cooperate, especially if you all are saving them \$500 or more \$. We've worked with ARS in the past and they have always done a good job, solid firm. I think as long as the city provides them with the OK to release information to us, they will be an asset. Was speaking with Robert Sherman earlier today and we'll start putting together a QASP/Assessment plan for your review.

We thought we could start with the walkover survey and limited sampling to develop a correlation, and go from there. We have most of the language and procedures dialed in from the Tronox work and Three Rivers project.

Can also discuss using ARS as a sub to benefit from their site knowledge.

Will send an update shortly.

David



**David Bordelon**  
**Weston Solutions, Inc.**  
13702 Coursey Blvd, Bldg 7  
Baton Rouge, LA 70817  
(225) 297-5403 Direct  
(225) 772-7921 Cell  
[David.Bordelon@westonsolutions.com](mailto:David.Bordelon@westonsolutions.com)

---

**From:** Fife, Greg [<mailto:fife.greg@epa.gov>]  
**Sent:** Wednesday, March 6, 2019 1:56 PM  
**To:** Bordelon, David <[David.Bordelon@WestonSolutions.com](mailto:David.Bordelon@WestonSolutions.com)>  
**Cc:** Brozowski, George <[brozowski.george@epa.gov](mailto:brozowski.george@epa.gov)>; Poppell, Sam W. <[Poppell.Sam@epa.gov](mailto:Poppell.Sam@epa.gov)>  
**Subject:** NOLA / ARS files or reports

**\*\* External Email \*\***

David,

As you recover and thing return to normal after Mardi Gras there in LA, can you tell me your expectations of getting the information from ARS or the City? I'm just trying to make some plans and get the others onboard.

I'm believing that ARS will have a pretty good report but I sure can't rely on the presentation that was sent from the City. There are just too many conflicting measurements.

The whole discussion on the site started with the big bosses, so they already have an interest in getting to the action as soon as we can.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.